

IEI Technology Corp.  
2010 Catalog Correction (Panel PC Catalog)

Correction period: 2010.1.28~2010.3.26

Category	Page	Model Name	Location	Original Data	Correction	
About Panel	8	iEZman	UI images		UI images changed: <a href="ftp://marketing.iei.com.tw/MKTTools/2010_Catalog/2010_Panel_PC_Catalog/">ftp://marketing.iei.com.tw/MKTTools/2010_Catalog/2010_Panel_PC_Catalog/</a>	
			IEI Products with Intel® AMT 6.0		1. Add: KVM Remote Control images 2. Add: New introduction about "IEI Products with Intel® AMT 6.0" <a href="ftp://marketing.iei.com.tw/MKTTools/2010_Catalog/2010_Panel_PC_Catalog/">ftp://marketing.iei.com.tw/MKTTools/2010_Catalog/2010_Panel_PC_Catalog/</a>	
Automation Panel Solution	1-15	AFL-F08A	Windows 7 with Multi-touch Capable		Picture changed: <a href="http://www.ieiworld.com/files/product/0A040539600871701512/catalog/en-US/AFL-F08A%20datasheet_20100223.pdf">http://www.ieiworld.com/files/product/0A040539600871701512/catalog/en-US/AFL-F08A%20datasheet_20100223.pdf</a>	
	1-16		Multimedia Hardware Device Ready		"Analog Microphone" picture deleted. "2W Speakers" picture deleted.	
	1-18		Versatile I/O Ports		Product picture deleted.	
			Hot Keys Controlled by Cap-Sensor		Add: "Hot Keys Controlled by Cap-Sensor" picture	
	1-19		Ordering Information	Projected Capacitive Touch Panel		Projected Capacitive Multi-Touch Panel
				AFL-F08A-N270/PC/1G-R10: 8.0" 250cd/m <sup>2</sup> SVGA Fanless panel PC with Intel® Atom™ N270 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g WiFi, Projective capacitive touch screen, Bluetooth, 300K camera, microphone, RoHS		AFL-F08A-N270/PC/1G-R10: 8.0" 250cd/m <sup>2</sup> SVGA Fanless panel PC with Intel® Atom™ N270 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g WiFi, Projective capacitive Multi-touch screen, Bluetooth, 300K camera, microphone, RoHS
				Fanless logo		Deleted
				Specifications	Power Adapter: 63000-FSP036RAB608-RS 48W Power Adapter Input: 90VAC~264VAC, 50/60Hz Output: 12VDC	Power Adapter: 63000-FSP0401ADF03A822-RS 40W Power Adapter Input: 90VAC~264VAC, 50/60Hz Output: 12VDC
			Options			Add: In Wall Cage : AFLIWC-F08A-R10
	1-22		AFL-W10A	Specifications	Mounting: Panel, Wall, Rack, Stand and Arm VESA 75mm x 75mm / 100mm x 100mm	Mounting: Panel, Wall, Rack, Stand and Arm VESA 100mm x 100mm
1-23	Options	Stand: STAND-A08 / STAND-100-RS		Stand: STAND-A10 / STAND-100-RS		
1-29	AFL-15A	Specifications	Model		Add: Model: AFL-15D(E)-N270-R10	
			Drive Bay		HDD Drive Bay Add: AFL-15D(E)-N270-R10: ODD Drive Bay: 1 x CD/DVD combo drive bay	

1-31

<p><b>Ordering Information</b></p>	<p>High Luminance (350 cd/m<sup>2</sup>): AFL-15A-N270/WT-R/1GB**(HU01)-R10: 15" 350cd/m<sup>2</sup> XGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,RoHS AFL-15A-LXPOS/WT-R/256MB: 15" 350cd/m<sup>2</sup> XGA fanless panel PC with AMD Geode™ LX 800 CPU, 256MB DDR RAM, 802.11b/g wireless module, and touch screen, without STAND AFL-15A-915-10G/WT-R/1GB-R11: 15" 350cd/m<sup>2</sup> XGA fanless panel PC W/ Celeron M 1.0GHz 512K cache CPU,DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,RoHS AFL-15B-915-PM16G/WT-R/1GB**(HSUPA01)-R11: 15" 350cd/m<sup>2</sup> XGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, RoHS AFL-15B-915-CM370/WT-R/1GB**(HSUPA01)-R11: 15" 350cd/m<sup>2</sup> XGA panel PC w/ Celeron® M 1.5GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, RoHS</p>	<p>High Luminance (350 cd/m<sup>2</sup>) ordering information changed: AFL-15A-N270/R**(H)/1G-R20: 15" 350cd/m<sup>2</sup> XGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS AFL-15A-LXPOS/WT-R/256MB-R20: 15" 350cd/m<sup>2</sup> XGA fanless panel PC with AMD Geode™ LX 800 CPU, 256MB DDR RAM, 802.11b/g wireless module, and touch screen, without STAND, R20 AFL-15A-915-10G/R/1G-R20: 15" 350cd/m<sup>2</sup> XGA fanless panel PC W/ Celeron M 1.0GHz 512K cache CPU, DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS AFL-15B-915-PM16/R**(H)/1G-R20: 15" 350cd/m<sup>2</sup> XGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS AFL-15B-915-CM37/R**(H)/1G-R20: 15" 350cd/m<sup>2</sup> XGA panel PC w/ Celeron® M 1.5GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS</p>
	<p>AFL-15C-9652-CM550/WT-R/1GB**(HSUPA01): 15" 350cd/m<sup>2</sup> XGA panel PC with Celeron® M 550 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS AFL-15C-9652-T7500/WT-R/2GB**(HSUPA01): 15" 350cd/m<sup>2</sup> XGA panel PC with Core™2 Dou T7500 2.2GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS AFL-15C-QM5715/R**(H)/2G-R10: 15" 350cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i5-520M 2.4G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS AFL-15C-QM5717/R**(H)/2G-R10: 15" 350cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i7-620M 2.66G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p>	<p>AFL-15C-9652-CM55/R**(H)/1G-R20: 15" 350cd/m<sup>2</sup> XGA panel PC with Celeron® M 550 2.0GHz CPU, 1GB DDR2 RAM, 802.11 b/g/n wireless module, touch screen, Bluetooth, RoHS AFL-15C-9652-T75/R**(H)/2G-R20: 15" 350cd/m<sup>2</sup> XGA panel PC with Core™2 Dou T7500 2.2GHz CPU, 2GB DDR2 RAM, 802.11 b/g/n wireless module, touch screen, Bluetooth, R20, RoHS AFL-15C-QM5715/R**(H)/2G-R10: 15" 350cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i5-520M 2.4G CPU, 2GB DDR3 RAM,802.11 b/g/n wireless module, touch screen, Bluetooth, R10, RoHS AFL-15C-QM5717/R**(H)/2G-R10: 15" 350cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i7-620M 2.66G CPU, 2GB DDR3 RAM,802.11 b/g/n wireless module, touch screen, Bluetooth, R10, RoHS</p>
<p><b>Ordering Information</b></p>	<p>Regular Luminance (250 cd/m<sup>2</sup>): AFL-15AE-N270/WT-R/1GB**(HU01)-R10: 15" 250cd/m<sup>2</sup> XGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,RoHS AFL-15AE-LXPOS/WT-R/256MB: 15" 250cd/m<sup>2</sup> XGA fanless panel PC with AMD Geode™ LX 800 CPU, 256MB DDR RAM, 802.11b/g wireless module, and touch screen, without STAND AFL-15AE-915-10G/WT-R/1GB-R11: 15" 250cd/m<sup>2</sup> XGA fanless panel PC W/ Celeron M 1.0GHz 512K cache CPU,DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,RoHS AFL-15BE-915-PM16G/WT-R/1GB**(HSUPA01)-R11: 15" 250cd/m<sup>2</sup> XGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, RoHS AFL-15BE-915-CM370/WT-R/1GB**(HSUPA01)-R11: 15" 250cd/m<sup>2</sup> XGA panel PC w/ Celeron® M 1.5GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, RoHS</p>	<p>Regular Luminance (250 cd/m<sup>2</sup>) ordering information changed: AFL-15AE-N270/R**(H)/1G-R20 : 15" 250cd/m<sup>2</sup> XGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth, R20, RoHS AFL-15AE-LXPOS/R/256-R20: 15" 250cd/m<sup>2</sup> XGA fanless panel PC with AMD Geode™ LX 800 CPU, 256MB DDR RAM, 802.11b/g wireless module, and touch screen, without STAND, R20 AFL-15AE-915-10G/R/1G-R20: 15" 250cd/m<sup>2</sup> XGA fanless panel PC W/ Celeron M 1.0GHz 512K cache CPU,DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth, R20, RoHS AFL-15BE-915-PM16/R**(H)/1G-R20: 15" 250cd/m<sup>2</sup> XGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS AFL-15BE-915-CM37/R**(H)/1G-R20: 15" 250cd/m<sup>2</sup> XGA panel PC w/ Celeron® M 1.5GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS</p>

			<p>AFL-15CE-9652-CM550/WT-R/1GB/**(HSUPA01): 15" 250cd/m<sup>2</sup> XGA panel PC with Celeron® M 550 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-15CE-9652-T7500/WT-R/2GB/**(HSUPA01): 15" 250cd/m<sup>2</sup> XGA panel PC with Core™2 Duo T7500 2.2GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-15CE-QM5715/R**(H)/2G-R10: 15" 250cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i5-520M 2.4G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-15CE-QM5717/R**(H)/2G-R10: 15" 250cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i7-620M 2.66G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p>	<p>AFL-15CE-9652-CM55/R**(H)/1G-R20: 15" 250cd/m<sup>2</sup> XGA panel PC with Celeron® M 550 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R20, RoHS</p> <p>AFL-15CE-9652-T75/R**(H)/2G-R20: 15" 250cd/m<sup>2</sup> XGA panel PC with Core™2 Duo T7500 2.2GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R20, RoHS</p> <p>AFL-15CE-QM5715/R**(H)/2G-R10 : 15" 250cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i5-520M 2.4G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R10, RoHS</p> <p>AFL-15CE-QM5717/R**(H)/2G-R10 : 15" 250cd/m<sup>2</sup> XGA panel PC with Intel® Core™ i7-620M 2.66G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R10, RoHS</p>
				Add: Note : AFL-15D(E)-N270 make to project base order
1-34	AFL-W15A	Specifications	<p>Model</p> <p>Drive Bay</p>	Add: Model: AFL-W15A-N270-R10 / AFL-W15B-N270-R10 HDD Drive Bay
				Add: AFL-W15A-N270-R10 / AFL-W15B-N270-R10: ODD Drive Bay: 1 x CD/DVD combo drive bay
1-35		Ordering Information	<p>AFL-W15A-N270/WT-R/1GB/**(HU01)-R10: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,300K camera,microphone,RoHS</p> <p>AFL-W15A-GM45-CM575/WT-R/1GB/**(HU01)-R10: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Celeron M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone,RoHS</p> <p>AFL-W15A-GM45-P8400/WT-R/2GB/**(HU01)-R10: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Core 2 Duo P8400 2.26GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone,RoHS</p> <p>AFL-W15A-GM45-T9400/WT-R/2GB/**(HU01)-R10: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Core 2 Duo T9400 2.53GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone,RoHS</p>	<p>AFL-W15A-N270/R**(H)/1G-R20: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Intel® Atom™ N270 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, 300K camera, microphone, R20, RoHS</p> <p>AFL-W15A-GM45-CM5/R**(H)/1G-R20: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Celeron M 2.0GHz CPU, 1GB DDR2 RAM, 802.11 b/g/n WiFi, touch screen, Bluetooth, 300K camera, microphone, R20, RoHS</p> <p>AFL-W15A-GM45-P84/R**(H)/2G-R20: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Core 2 Duo P8400 2.26GHz CPU, 2GB DDR2 RAM, 802.11 b/g/n WiFi, touch screen, Bluetooth, 300K camera, microphone, R20, RoHS</p> <p>AFL-W15A-GM45-T94/R**(H)/2G-R20: 15.6" 250cd/m<sup>2</sup> 1366x768 panel PC with Core 2 Duo T9400 2.53GHz CPU, 2GB DDR2 RAM, 802.11 b/g/n WiFi, touch screen, Bluetooth, 300K camera, microphone, R20, RoHS</p>
				Add: Note : AFL-W15B-N270 make to project base order
1-39	AFL-17	Ordering Information	<p>AFL-17D-N270/WT-R/1GB/**(HU01)-R10: 17" 300cd/m<sup>2</sup> SXGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,300K camera,microphone,RoHS</p> <p>AFL-17D-N270/WT-R/OD/1GB/**(HU01)-R10: 17" 300cd/m<sup>2</sup> SXGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS</p> <p>AFL-17A-915-10G/WT-R/1GB-R11: 17" 300cd/m<sup>2</sup> SXGA fanless panel PC w/ Celeron® M 1.0GHz 512K cache CPU,DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-17B-915-PM16G/WT-R/1GB/**(HSUPA01)-R11: 17" 300cd/m<sup>2</sup> SXGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, RoHS</p> <p>AFL-17B-915-CM370/WT-R/1GB/**(HSUPA01)-R11: 17" 300cd/m<sup>2</sup> SXGA panel PC w/ Celeron® M 1.5GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, RoHS</p>	<p>AFL-17D-N270/R**(H)/1G-R20: 17" 300cd/m<sup>2</sup> SXGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,300K camera,microphone, R20, RoHS</p> <p>AFL-17D-N270/R**(H)/D/1G-R20: 17" 300cd/m<sup>2</sup> SXGA fanless panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS</p> <p>AFL-17A-915-10G/R/1G-R20: 17" 300cd/m<sup>2</sup> SXGA fanless panel PC w/ Celeron® M 1.0GHz 512K cache CPU,DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth, R20, RoHS</p> <p>AFL-17B-915-PM16/R**(H)/1G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS</p> <p>AFL-17B-915-CM37/R**(H)/1G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC w/ Celeron® M 1.5GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS</p>

			<p>AFL-17C-9652-CM550/WT-R/1GB/**(HSUPA01): 17" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 550 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-17C-9652-T7500/WT-R/2GB/**(HSUPA01): 17" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™2 Dou T7500 2.2GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p>	<p>AFL-17C-9652-CM55/R**(H)/1G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 550 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,R20, RoHS</p> <p>AFL-17C-9652-T75/R**(H)/2G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™2 Dou T7500 2.2GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R20, RoHS</p>
			<p>AFL-17D-GM45-CM575/WT-R/1GB/**(HSUPA01)-R10: 17" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,300K camera,microphone,RoHS</p> <p>AFL-17D-GM45-P8400/WT-R/2GB/**(HU01)-R10: 17" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™2 Dou P8400 2.26GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,300K camera,microphone,RoHS</p> <p>AFL-17D-GM45-T9400/WT-R/2GB/**(HSUPA01)-R10: 17" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™2 Dou T9400 2.53GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,300K camera,microphone,RoHS</p> <p>AFL-17D-GM45-CM57/R**(H)/1G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS</p>	<p>AFL-17D-GM45-CM57/R**(H)/1G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,300K camera,microphone, R20, RoHS</p> <p>AFL-17D-GM45-P84/R**(H)/2G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™2 Dou P8400 2.26GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,300K camera,microphone, R20, RoHS</p> <p>AFL-17D-GM45-T94/R**(H)/2G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™2 Dou T9400 2.53GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,300K camera,microphone, R20, RoHS</p> <p>AFL-17D-GM45-CM57/R**(H)/1G-R20: 17" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS</p>
1-41	AFL-19	Ordering Information	<p>AFL-19A-915-10G/WT-R/1GB/**(HSUPA01)-R11 : 19" 300cd/m<sup>2</sup> SXGA fanless panel PC w/ Celeron® M 1.0GHz 512K cache CPU,DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-19B-915-PM16G/WT-R/1GB/**(HSUPA01)-R11 : 19" 300cd/m<sup>2</sup> SXGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, RoHS</p> <p>AFL-19C-9652-CM550/WT-R/1GB/**(HSUPA01) : 19" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 550 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-19C-9652-T7500/WT-R/2GB/**(HSUPA01) : 19" 300cd/m<sup>2</sup> SXGA panel PC with Core™2 Dou T7500 2.2GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p>	<p>AFL-19A-915-10G/R**(H)/1G-R20: 19" 300cd/m<sup>2</sup> SXGA fanless panel PC w/ Celeron® M 1.0GHz 512K cache CPU,DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth, R20, RoHS</p> <p>AFL-19B-915-PM16/R**(H)/1G-R20: 19" 300cd/m<sup>2</sup> SXGA panel PC w/ Pentium® M 1.6GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS</p> <p>AFL-19B-915-CM37/R**(H)/1G-R20: 19" 300cd/m<sup>2</sup> SXGA panel PC w/ Celeron® M 1.5GHz CPU, 1GB DDR2 RAM, 802.11 b/g wireless module, touch screen, Bluetooth, R20, RoHS</p> <p>AFL-19C-9652-CM55/R**(H)/1G-R20: 19" 300cd/m<sup>2</sup> SXGA panel PC with Celeron® M 550 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R20, RoHS</p> <p>AFL-19C-9652-T75/R**(H)/2G-R20: 19" 300cd/m<sup>2</sup> SXGA panel PC with Core™2 Dou T7500 2.2GHz CPU,2GB DDR2 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R20, RoHS</p>
			<p>AFL-19C-QM5715/R**(H)/2G-R10 : 19" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™ i5-520M 2.4G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth,RoHS</p> <p>AFL-19C-QM5717/R**(H)/2G-R10 : 19" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™ i7-620M 2.66G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module, touch screen,Bluetooth,RoHS</p>	<p>AFL-19C-QM5715/R**(H)/2G-R10: 19" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™ i5-520M 2.4G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module,touch screen,Bluetooth, R10, RoHS</p> <p>AFL-19C-QM5717/R**(H)/2G-R10 : 19" 300cd/m<sup>2</sup> SXGA panel PC with Intel® Core™ i7-620M 2.66G CPU,2GB DDR3 RAM,802.11 b/g/n wireless module, touch screen,Bluetooth, R10, RoHS</p>

IEI Technology Corp.  
2010 Catalog Correction (Panel PC Catalog)

1-44	AFL-W19	Ordering Information	AFL-W19A-N270/WT-R/1GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,300K camera,microphone,RoHS	AFL-W19A-N270/R**(H)/1G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g wireless module,touch screen,Bluetooth,300K camera,microphone, R20, RoHS
			AFL-W19A-GM45-CM575/WT-R/1GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n WiFi,touch screen, Bluetooth,300K camera,microphone,RoHS	AFL-W19A-GM45-CM57/R**(H)/1G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n WiFi,touch screen, Bluetooth,300K camera,microphone, R20, RoHS
1-143	PPC-5170	Packing List	AFL-W19A-GM45-P8400/WT-R/2GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo P8400 2.26GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone,RoHS	AFL-W19A-GM45-P84/R**(H)/2G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo P:8400 2.26GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, R20, RoHS
			AFL-W19A-GM45-T9400/WT-R/2GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo T9400 2.53GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone,RoHS	AFL-W19A-GM45-T94/R**(H)/2G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo T9400 2.53GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, R20, RoHS
1-145	PPC-5190	Packing List	AFL-W19B-N270/WT-R/OD/1GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, RoHS	AFL-W19B-N270/R**(H)D/1G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Intel® Atom™ N270 1.6GHz CPU,1GB DDR2 RAM,802.11 b/g WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS
			AFL-W19B-GM45-CM575/WT-R/OD/1GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n WiFi,touch screen, Bluetooth,300K camera,microphone, DVD-COMBO, RoHS	AFL-W19B-GM45-CM57/R**(H)D/1G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Celeron® M 2.0GHz CPU,1GB DDR2 RAM,802.11 b/g/n WiFi,touch screen, Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS
1-145	PPC-5190	Packing List	AFL-W19B-GM45-P8400/WT-R/OD/2GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo P8400 2.26GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, RoHS	AFL-W19B-GM45-P84/R**(H)D/2G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo P8400 2.26GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS
			AFL-W19B-GM45-T9400/WT-R/OD/2GB/**(HU01)-R10: 19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo T9400 2.53GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, RoHS	AFL-W19B-GM45-T94/R**(H)D/2G-R20 :19" 300cd/m <sup>2</sup> 1440x900 panel PC with Core™2 Duo T9400 2.53GHz CPU,2GB DDR2 RAM,802.11 b/g/n WiFi,touch screen,Bluetooth,300K camera,microphone, DVD-COMBO, R20, RoHS
RISC-based Solution	5-7	IOVU-430M	Options	Add: IOVU-430M-IWC/B/-R10: Rear bracket; for IOVU-430M In-Wall-Cage; black front membrane.
				Add: IOVU-430M-IWC/W/-R10: Rear bracket; for IOVU-430M In-Wall-Cage; white front membrane.
Optional Peripherals	7-4	AUPS Module Specifications	Specifications	EMC / Safety certification: UL, TUV. CE, FCC
		Battery Module Specifications	Specifications	Safety class: CE, UL, TUV
				EMC / Safety certification: CE, FCC